

MMW-P-09D ● MUNDELL Monitoring Well

MW-169D ● ENVIRON Monitoring Well

MW-WES-05C □ U.S. EPA Monitoring Well

Inferred Extent of PCE > 5 ug/L

Inferred Extent of TCE > 5 ug/L


Inferred Extent of Cis-1,2 - DCE > 70 ug/L

Inferred Extent of VC > 2 ug/L

LEGEND

	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	Vinyl chloride
IDEML RISC Default Industrial Cleanup Level	55	31	1,000	2,000	4
IDEML RISC Default Residential Cleanup Level; IDEML 2012 RCG Tap Residential	5	5	70	100	2
4/25/2012 MMW-1S	270	11.2	34.2	<5.0	39
All Values Over IDEML RISC Industrial Default Cleanup Levels In Red PCE = Tetrachloroethene TCE = Trichloroethene cis-1,2-DCE = cis-1,2-Dichloroethene trans-1,2-DCE = trans-1,2-Dichloroethene ug/l = micrograms per liter NS = Not Sampled					
All analytical results presented in micrograms per liter (ug/l)					

NS = Not Sampled



0 SCALE 200 feet

GROUNDWATER ANALYTICAL MAP - DEEP 3RD QUARTER 2013 (RDCL-RCG TAP RESIDENTIAL EXCEEDANCES)

Michigan Plaza
3801 - 3823 West Michigan Street
Indianapolis, INDIANA

FIGURE
5